


Novo **AQUACEL[®]**
EXTRA[™]
Hydrofiber[®] obloga sa ojačavajućim nitima



SNAGA • APSORBCIJA • POUZDANOST



Razlog više zašto
voljeti AQUACEL[®] obloge




AQUACEL[®] Obloge
PROVJERENE. PRIRODNE. POUZDANE.™



Zbrinjavanje rana je svakodnevni izazov s kojim se kliničari suočavaju


- Kako zadržati i nadzirati razinu sekreta, a radi spriječavanja maceracije.
- Kako ukloniti štetne bakterije i encime iz rane, s ciljem njezina poboljšanog cijeljenja.
- Kako, na najmanju mjeru, svesti bol i nelagodu za pacijenta prilikom prijetoja ili u vrijeme dok je obloga na mjestu primjene.
- Kako kontrolirati troškove, a uz to pružiti najdjelotvorniju njegu.

Hydrofiber® Tehnologija, zastupljena u obitelji AQUACEL obloga, ima jedinstvenu svrhu da:



Zaključa sekret i bakterije iz rane unutar hydrofiber vlakana, te smanji postrano/lateralno širenje tekućeg sadržaja.

- Pomaže u zaštiti okolne kože od maceracije
- Pomaže u smanjenju ukrižene kontaminacije kao i rizika od infekcije rane za vrijeme uklanjanja obloge



Savršeno prijanja uz posteljicu rane

- Minimizira „prazan prostor“ u kojem se bakterije mogu razvijati
- Održava optimalnu ravnotežu vlage u posteljici rane



Reagira na razinu tekućih sadržaja iz rane, stvaranjem kohezivnog gela

- Jedinstven način stvaranja gela, čime se štiti osjetljivo tkivo rane i umanjuje bol pri izmjeni obloga.

AQUACEL® obloge podupir 15-ogodišnje kliničko nasljeđe, koje suvereno demonstrira njihovu učinkovitost

- 17 slučajno odabranih kontroliranih istraživanja
 - 50+ stručnih članaka, kao i naučnih studija i studija na životinjama
- Predočeni dokazi o progresu rana ka zacjeljenju
- Potvrđeno da su dodatan element u sniženju cijena u protokolima o njezi rana

^a Gornje se odnosi na AQUACEL® i AQUACEL® Ag obloge.
Svi slikovni prikazi su impresije umjetnika.

AQUACEL® EXTRA™ obloga dovodi Hydrofiber® Tehnologiju na višu razinu



AQUACEL® EXTRA™ obloga, izrađena za pružanje dodatnih pogodnosti^{20b}

EXTRA Čvrstoća^b

9 x čvršća obloga

- Pomaže provedbi laganog uklanjanja obloge
- Povećava udobnost pacijenta pri izmjenama obloge

EXTRA Apsorbicija^b

39 % veća apsorpcija

- Pouzdanije zbrinjavanje rana koje jako secerniraju
- Može povisiti djelotvornost obloge

^bU usporedbi s izvornom AQUACEL® oblogom

Novo **AQUACEL®**
EXTRA™
Hydrofiber® obloga sa ojačavajućim nitima



AQUACEL® Obloge
PROVJERENE. PRIRODNE. POUZDANE.™



AQUACEL® EXTRA™ prigradna je obloga za kronične i akutne rane svih razina sekrecije

Slaba sekrecija

Srednja/umjerena sekrecija

Jaka i obilna sekrecija

AQUACEL® EXTRA™ obloge

AQUACEL® EXTRA™ - novi član u obitelji kojoj se vjeruje:

Velicina	Kataloški broj	Komada/pakiranje
5 x 5 cm	420671	10
10 x 10 cm	420672	10
15 x 15 cm	420673	5

Novo
AQUACEL®
EXTRA™
Hydrofiber® obloga sa ojačavajućim nitima

AQUACEL®

AQUACEL®
Hydrofiber® Dressing
With Strengthening Fibre

AQUACEL®
Hydrofiber® Dressing with Silver
Ag

AQUACEL®
SURGICAL
Hydrofiber® dressing

AQUACEL®
SURGICAL
Hydrofiber® dressing with silver
Ag

References: 1. World Union of Wound Healing Societies (WUWHs). Principles of best practice: wound exudate and the role of dressings. A consensus document. London: MEP Ltd. 2007. 2. Walker M, Hobot JA, Newman GR, Bowler PF. Scanning electron microscopic examination of bacterial immobilisation in a carboxymethylcellulose (Aquacel) and alginate dressing. *Biomaterials*. 2003;24(5):883-890. 3. Newman GR, Walker M, Hobot JA, Bowler PG. Visualisation of bacterial sequestration and bactericidal activity within hydrating Hydrofiber wound dressings. *Biomaterials*. 2006;7(27):1129-1139. 4. Waring MJ, Parsons D. Physico-chemical characterization of carboxymethylated spun cellulose fibres. *Biomaterials*. 2000;22(9):903-912. 5. Robinson BJ. The use of a hydrofiber dressing in wound management. *J Wound Care*. 2000;9(1):32-34. 6. Bowler PG, Jones SA, Davies BJ, Coyle E. Infection control properties of some wound dressings. *J Wound Care*. 1999;8(10):499-502. 7. Hoekstra MJ, Hemmans MH, Richters CD, Dutrieux RP. A histological comparison of acute inflammatory responses with a Hydrofiber or tulle gauze dressing. *J Wound Care*. 2002;11(3):113-117. 8. Bishop SM, Walker M, Rogers AA, Chen WY. Importance of moisture balance at the wound-dressing interface. *J Wound Care*. 2003;12(4):125-128. 9. Kogan L, Moldavsky M, Szvalb S, Govrin-Yehudain J. Comparative study of Aquacel and Silverol treatment in burns. *Ann Burns Fire Disasters*. 2004;17(4):201-207. 10. Barnea Y, Amir A, Leshem D, et al. Clinical comparative study of Aquacel and paraffin gauze dressing for split-skin donor site treatment. *Ann Plast Surg*. 2004;53(2):132-136. 11. Brunner U, Eberlein T. Experiences with hydrofibres in the moist treatment of chronic wounds, in particular of diabetic foot. *VASA*. 2000;29(4):253-257. 12. Armstrong SH, Ruckley CV. Use of a fibrous dressing in exuding leg ulcers. *J Wound Care*. 1997;6(7):322-324. 13. Piaggini A, Baccetti F, Rizzo L, Romanelli M, Navales R, Benzi L. Sodium carboxyl-methyl-cellulose dressings in the management of deep ulcerations of diabetic foot. *Diabet Med*. 2001;18(4):320-324. 14. Clarke JV, Deakin AH, Dillon JM, Emmerson S, Kinninmonth AWG. A prospective clinical audit of a new dressing design for lower limb arthroplasty wounds. *J Wound Care*. 2009;18(1):5-11. 15. Cohn SM, Lopez PP, Brown M, et al. University of Miami Wound Study Group. Open surgical wounds: how does Aquacel compare with wet-to-dry gauze? *J Wound Care*. 2004;13(1):10-12. 16. Ravenscroft MJ, Harker J, Buch KA. A prospective, randomised, controlled trial comparing wound dressings used in hip and knee surgery Aquacel and Tegaderm versus Cutiplast. *Ann R Coll Surg Engl*. 2006;88(1):18-22. 17. Harding KG, Price P, Robinson B, Thomas S, Hofman D. Cost and dressing evaluation of hydrofiber alginate dressings in the management of community-based patients with chronic leg ulceration. *Wounds*. 2001;13(12):229-236. 18. Dillon JM, Clarke JV, Emmerson S, Kinninmonth AWG. The Jubilee method: a modern dressing design which reduces complications and is cost effective following total hip and knee arthroplasty. Poster presented at: American Academy of Orthopaedic Surgeons Annual Meeting; February 14-17 2007; San Diego, CA. 19. Moore PJ, Foster L. Cost benefits of two dressings in the management of surgical wounds. *Br J Nurs*. 2000;9(17):1128-1132. 20. Preliminary assessment of the physical properties of AQUACEL® EXTRA vs AQUACEL® & DURAFIBER™. Scientific Background Report. WHRI3461 TA214. 2011. Data on File, ConvaTec Inc.

AQUACEL and Hydrofiber are registered trademarks of ConvaTec Inc. AQUACEL EXTRA, AQUACEL SURGICAL, and AQUACEL Ag SURGICAL are trademarks of ConvaTec Inc. Tried. True. Trusted. is a trademark of ConvaTec Inc. © 2011 ConvaTec Inc. AP-011587-MM [AM/EM]



AQUACEL® Obloge
PROVJERENE. PRIRODNE. POUZDANE.™

